



Government Of West Bengal  
Office Of The Divisional Fire Officer, Nadia  
West Bengal Fire & Emergency Services  
Azad Hind Sarak, P.O.:- Ghurni, P.S.:- Kotwali, Pin :- 741103

Memo no.:IND/WB/FES/20192020/85641

Date: 13-11-2020

From:  
Divisional Fire Officer, Nadia  
West Bengal Fire & Emergency Services

To: NBM Model School  
Mouja- Majdia, JL No- 59, Khatian No- 2684, 2685, Plot No- 407, 2943, Under Taldaha - Majdia, Nadia - 741507.

Sub: Fire Safety Certificate for existing construction of G+I Storied educational building under group of institutional building in the name & style "NBM Model school" at Premises No. Mouza-Majdia, JL No. 59, LR Plot No. 407, 2943, LR Khatian No. 2684 2685, Vill & P.O:- Majdia, P.S:-Krishnaganj, Under Taldaha-Majdia G.P., Dist:- Nadia, West Bengal.

This is in reference to your application no. 0125189201000115 dated 22-10-2020 regarding the Fire Safety Certificate for existing construction of G+I Storied educational building under group of institutional building in the name & style "NBM Model school" at Premises No. Mouza-Majdia, JL No. 59, LR Plot No. 407, 2943, LR Khatian No. 2684 2685, Vill & P.O:- Majdia, P.S:-Krishnaganj, Under Taldaha-Majdia G.P., Dist:- Nadia, West Bengal.

The performance of the Fire Fighting System as incorporated in the buildings were tested at random and found satisfactorily working condition. In view of the above this office is releasing the Fire Safety Certificate for occupancy of the aforesaid building.

**Recommendation:**

- 1.All the Fire Safety Recommendations/Revised Fire Safety Recommendations which were issued vide this Office Memo No. IND/WB/FES/20192020/85641, Dated:- 28/02/2020 be followed strictly at all time.
- 2.Driveway must have to be kept free of obstruction at all time for EASY movement of fire Appliances. No parking will be allowed on the driveway.
3. The interior finish decoration of building shall be made with low flame spread materiel confirming I.S. specification.
4. To eliminate risk of Fire Hazards, Good House Keeping both for insides and outside of the Building shall be strictly maintained.

Manager  
NBM MODEL SCHOOL  
Vill+P.O.-Majdia, Dist.-Nadia  
Pin-741507

Principal  
NBM MODEL SCHOOL  
Vill+PO -Maidia. Dist.-Nadia

5. Existing Electrical wiring of the whole building shall have to be carefully checked for any damage in and tear in the particularly lines above false ceiling & ducts.
6. A fire control room including a close circuit T.V./ Monitor system will have to be installed which will observe all the of the Building.
7. The notice of Fire Fighting equipments and Evacuation plan shall be maintained and displayed at all vulnerable place the Building.
8. The Employees and security staff shall be well conversant with installed Fire Fighting Equipments of the building and operate in the event of Fire and Testing.
9. Mock Fire practice evacuation drill shall to be performed periodically with participant of all the occupants of the building
10. Main and meter room shall be protected with Co2 or DCP Fire Extinguishers conforming I.S. Specifications.
11. First-Aid Fire Fighting system shall be provided as per I.S. Specification.
12. Arrangement shall have to be made for regular checking, testing and maintenance, of all Fire Fighting installation of the Building to keep them in perfectly good working Condition at all the time.
13. If required the old line shall have to be replaced with new lines the cables shall always be laid in M.S. conduit pipe continuously bonded to the earth.
14. Periodical Flushing of water in hydrants pipe line shall be made to maintain the efficient working performance of above mentioned system.
15. Fire Safety audit to be conducted at regular interval and to be recorded in the fire prevention maintenance register.
16. Transformer & switch Gear room (if applicable) shall be protected with CO2 or D.C.P. Fire Extinguisher conforming I.S. Specification.
17. Storage of volatile flammable liquid shall be prohibited and the handling of such liquids shall restricted to scient

laboratory only.

18. If gas use in the laboratory shall be provided with an approve out side gas shut-off valve conspicuously marked.

19. Chemicals used in laboratory must be kept in separated isolated stores in proper sealed containers. Lab Asst. Must alert for its maintenance during closing by lock & key after class hours for any spillage, Fumes, Loosen ca corrosiveness, acids, main valves for Bunsen Burners etc.

20. Fire Licence shall have to be obtained from the licence section of the department for proposed storing of high combustible articles and procession with L.P.G., which come under purview of licence section as per Fire service Act-1930 (with up to date amendment).


21. This Fire Safety Certificate is valid for Three years and have to be renewed every three years interval from the date of Issue of this letter. In every three years Certificate is to be obtained from the Director General, West Bengal Fire & Emergency Services, regarding the Performance of all the life & Fire Safety arrangements and installation of the Building.

22. Any deviation or changes the building in respect of the approved plan drawing, without prior permission from this office this fire safety certificate will be treated cancelled automatically.

Signature Not Verified  
Digitally signed by RATAN  
KUMAR HALDER  
Date: 2020.11.13 17:55:57 IST

Divisional Fire Officer, Nadia  
West Bengal Fire & Emergency Services

  
Manager  
NBM MODEL SCHOOL  
Vill+P.O.-Majdia, Dist.-Nadia  
Pin-741507

  
Principal  
NBM MODEL SCHOOL  
Vill+PO -Majdia, Dist.-Nadia  
Pin-741507